Contents Volume 72, 1989

Long continental records of climate—an introduction
G. Kukla (Palisades, NY, U.S.A.) 1
Quaternary and Upper-Pliocene glaciations and forest development in the tropical Andes: evidence from a long high-resolution pollen record from the sedimentary basin of Bogatá, Columbia
H. Hooghiemstra (Amsterdam, The Netherlands) 11
The Plio-Pleistocene record of the central eastern Pampas, Buenos Aires province, Argentina: the Chappadmalal case study
M. A. Zarate and J. L. Fasano (Mar del Plata, Argentina) 27
Anthropogene of the Anticaucasus
G. M. Maisuradze (Tbilisi, U.S.S.R.) 53
Continuous pollen diagrams for the last 3.5 m.y. from Israel: vegetation, climate and correlation with the oxygen isotope record
A. Horowitz (Tel Aviv, Israel) 63
Brunhes epoch paleoclimates of Japan and Israel
N. Fuji (Kanazawa, Japan) and A. Horowitz (Tel Aviv, Israel) 79
Tulelake, California: the last 3 million years
D. P. Adam (Menlo Park, CA, U.S.A.), A. M. Sarna-Wojcicki (Menlo Park, CA, U.S.A.), H. J. Rieck (Flagstaff, AZ, U.S.A.), J. Platt Bradbury (Denver, CO, U.S.A.), W. E. Dean (Denver, CO, U.S.A.) and R. M. Forester (Denver, CO, U.S.A.) 89
A 3 Ma paleomagnetic record of coastal continental deposits in Argentina
M. Ruocco (Stockholm, Sweden) 105
Stetson Pit, Dare County, North Carolina: an integrated chronologic, faunal, and floral record of subsurface coastal Quaternary sediments
L. L. York (Newark, DE, U.S.A.), J. F. Wehmiller (Newark, DE, U.S.A.), T. M. Cronin (Reston, VA, U.S.A.) and T. A. Ager (Reston, VA, U.S.A.) 115
Periglacial environments during the Early Pleistocene in the southern Netherlands and northern Belgium
J. Vandenberghe and C. Kasse (Amsterdam, The Netherlands) 133
The most complete Quaternary record of the Swiss Alpine Foreland
C. Schlüchter (Zürich, Switzerland) 141
The transition from temperate phases to stadials in the long upper Pleistocene sequence from Les Echets (France)
J.-L. de Beaulieu and M. Reille (Marseille, France) 147
Radiometric ages and paleomagnetism of the Sigura-gura Formation, upper part of the "Toba Tuffs" in Sumatra, Indonesia
T. Yokoyama (Kyoto, Japan), A. Dharma (Bandung, Indonesia) and P. Hehanussa (Bandung, Indonesia) 161
Marine transgressions on the Pleistocene Pecangan Formation in the Sangiran area, central Jawa, Indonesia
T. Yokoyama (Kyoto, Japan), and I. Koizumi (Osaka, Japan) 177
Brunhes/Matuyama polarity epoch boundary in the Osaka Group of the Senriyama Hills, southwest Japan
A. Hayashida and T. Yokayama (Kyoto, Japan) 195
Loess stratigraphy in central China
G. Kukla (Palisades, NY, U.S.A.) and Zhisheng An (Xian, China) 203
Vertebrate paleoecology of the Chinle Formation (Late Triassic) of the southwestern United States
J. M. Parrish (Boulder, CO, U.S.A.) 227
Marginal marine sedimentation in the basal Alpine Buntsandstein (Scythian) in the western part of the Northern Calcareous Alps (Tyrol/Salzburg, Austria)
V. Stingl (Innsbruck, Austria) 249
Pliocene–Pleistocene vegetational and climatic evolution of the south-central Mediterranean
R. Bertoldi (Parma, Italy), D. Rio (Parma, Italy) and R. Thunell (Columbia, SC, U.S.A.) 263
Shell torsion and life habit in the Recent mytilid bivalve *Modiolus philippinarum*
E. Savazzi (Uppsala, Sweden) 277
Gastropod predators and their dietary preference in an Eocene molluscan fauna from Nigeria
I. Arua (Nsukka, Nigeria) 283
Late Quaternary environmental change in the Lake O'Hara region, Yoho National Park, British Columbia
M. A. Reasoner (Calgary, Alta., Canada) and M. Hickman (Edmonton, Alta., Canada) 291
Taphonomic signature as a function of environmental process: shells and shell beds in a hurricane-influenced inlet on the Texas coast
D. J. Davies, E. N. Powell and R. J. Stanton Jr. (College Station, TX, U.S.A.) 317
Study of the shape of naticid and muricid borings in plan view in Eocene prey from southeastern Nigeria
I. Arua (Nsukka, Nigeria) and M. Hoque (Elizabeth, PA, U.S.A.) 357